	OFF	SOUNDINGS 2021 C DATE ISSUE EXPIRES DE	ERTIFICA	TE /2021	HRF	
FINAL RATING: SPINNAKER	45	NON- SPINNAKER	65	CLASS		
Please complete in FEET	AND .01 FOOT	THERE IS NO CH	ARGE FOR ANN	UAL PHRF CE	RTIFICATES	
1. COPY THIS FORM TO YOUR COMPUTER FROM THE WEBSITE BEFORE MAKING ANY ENTRIES. 2. When completed, save as OSCboatname21.xls (ex.OSCSnowbird21.xls) and e-mail as an atttachment to; pvm461@yahoo.com 1 METER = 3.280833 FEET Submission of sail measurement certificates is required if you aquired a new (or different) rated sail (main sail,						
	be obtained fro	om your sailmaker ar	nd forwarded to	OSC Handicap		
Any questions call Paul von Maffei - OSC Handicapper - 203-314-7551 If this is a new boat design please attach profile/plan/sailplan drawings (jpg or pdf). Please name the file boatname.jpg (or pdf) (ex. Snowbird.jpg) when you e-mail it to me, thank you.						
			.jpg) when you e		lank you.	
BOAT NAME	Temptress			SAIL NO.	43950	
	Taylor 41			DATE BUILT	Jun-05	
BUILDER	Mark Lindsay	/		HULL NO.	994386	
DESIGNER	Jim Taylor		ONE D	ESIGN CLASS		
OWNER'S NAME						
ADDRESS	28 Whale Rock Rd.					
CITY, STATE, ZIP CODE	Jamestown, RI 02835					
YACHT CLUB	CCA, NYYC,	Conanicut, STC				
EVENING PHONE #			CELLPHONE	401-225-4728	}	
DAYTIME PHONE #			FAX			
E-MAIL ADDRESS	jay.gowell@c	mail.com				
ANY PREVIOUS HANDICAP #	REGION	PHRF-NB		PHRF #/DATE	2021	
PREVIOUS ECSA PHRF #			PREVIOU	IS OSC PHRF#	yes	
ECSA MEMBER ? Yes V		MEMBER # (IF YOU	J ARE A MEMBE	ER)	2482524	
From time to time we may make owners' names and addresses available to parties wishing to circulate information on yachting related subjects. If you DO NOT wish to receive such information, please check here:						
General BOAT Dimensions						
Please describe your boat.Propeller:Exposed:	Check appr yes	opriate description	on with "X". no	Retracted:	no	_

Propeller:	Exposed:	yes	In Aperture:	no	Retracted:	no
Propeller Type	Fold/feath:	yes	Autoprop:	no	Solid:	no
# of Blades	Two:	yes	Three:	no	Four:	no
Keel Material:	Lead:	yes	Iron:	no	Other:	no
Rudder type:	Attached:	no	Spade	yes	Skeg:	no
Engine:	Inboard:	yes	Outboard:	no	None:	no
Keel Type:	Fin:	yes	Full:	no	K/C Board:	no
Mast Material:	Aluminum:	yes	Wood:	no	Crb-Fiber:	no
Spinnaker Pole:	None:		Traditional:	yes	Sprit:	no
Do you want a Sp	innaker Handica	ар	YES 🗸	NO 🗌		

Unless standard for a class, unpenalized mainsail girth shall be limited as follows:							
MGT (7/8 leech) shall not exceed .22E							
MGU (3/4 leech) shall not exceed .38E							
MGM (1/2 leech) shall not exceed .65E MGL (1/4 leech) shall not exceed .87 E							
Headboard shall not exceed the greater of 0.04E or 0.5 feet							
Mainsails exceeding these dimensions must be declared, and will be penalized on an individual basis.							
Do your mainsail Girth dimensions exceed limits stated above and or exceed your class mainsail							
Girths? Yes Vo If yes, Please provide mainsail dimension below.							
MGT MGU							
MGM MGL							
RIG AND SAIL DIMENSIONS							
Overall hull length LOA 41.08 DRAFT 7.75							
Foretriangle base I 54.50 BALLAST 6500							
Boat J dimension J 15.75 WPL na							
Boat P dimension main hoistP48.50TPS15.75							
Banded main foot length E E 16.50 PY na							
Displacement in pounds Disp. 16000 EY na							
Length waterline LWL 33.00 SPL 15.75							
Maximum beamBeam13.00ISP54.75							
LARGEST HEADSAIL USED (LP TO NEAREST .01FT) 24.25							
LARGEST HEADSAIL USED (LP TO NEAREST .01FT)24.25							
LARGEST SYMMETRIC SPINNAKER GIRTH: 28.35 SAIL LUFF: 54.37							
AREA SQUARE FEET SAIL FOOT:							
LARGEST ASYMMETRIC SPINNAKER AMG: 24.40 SLU: 56.45							
AREA SQUARE FEET SLE: 53.59 ASF: 26.80							
AREA SQUARE FEET SLE. 33.39 ASF. 20.00							
AREA SQUARE FEET SLE. 33.39 ASF. 20.00							
AREA SQUARE FEET SLE. 55.39 ASF. 20.80 DO YOU HAVE A CODE-ZERO SPINNAKER Yes No							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes Vo If yes, ENTER to .01 foot AMG: SLU: SLE: ASF:							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL,							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) Yes No							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes V No							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No N/A Yes No NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS.							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes Mo FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes Mo FLOWN ONLY FROM SPRIT NO							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS.							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A FLOWN ONLY FROM SPRIT N/A NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS. When sailing in non-Spinnaker class will you ALWAYS use a headsail roller-furler?							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG:							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, N/A Yes FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes FLOWN ONLY FROM SPRIT N/A Yes No NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS. When sailing in non-Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No When sailing in Spinnaker class will you ALWAYS use a headsail roller furler? Yes No							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG:							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No FLOWN ONLY FROM SPRIT N/A Yes No NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS. No When sailing in non-Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No When sailing in Spinnaker class will you ALWAYS use a headsail roller furler? Yes No Does your Roller Furling Headsail meet requirements for Recreational credit? Yes No Does your Roller Furling Mainsaill meet requirements for Recreational credit? Yes No Is your furling mainsail an in-mast or in boom system? IN MAST Yes IN BOOM Yes IN BOOM - +3, IN MAST - +12, IN HEADSAIL - +9 FOR CANVAS CLASS ONLY Interval Yes Interval							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, N/A Yes No FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No FLOWN ONLY FROM SPRIT N/A Yes No NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS. No No When sailing in non-Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No When sailing in Spinnaker class will you ALWAYS use a headsail roller furler? Yes No Does your Roller Furling Headsail meet requirements for Recreational credit? Yes No Does your Roller Furling Mainsaill meet requirements for Recreational credit? Yes No Is your furling mainsail an in-mast or in boom system? IN MAST Yes IN BOOM Yes							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No FLOWN ONLY FROM SPRIT N/A Yes No NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS. No When sailing in non-Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No When sailing in Spinnaker class will you ALWAYS use a headsail roller furler? Yes No Does your Roller Furling Headsail meet requirements for Recreational credit? Yes No Does your Roller Furling Mainsaill meet requirements for Recreational credit? Yes No Is your furling mainsail an in-mast or in boom system? IN MAST Yes IN BOOM Yes IN BOOM - +3, IN MAST - +12, IN HEADSAIL - +9 FOR CANVAS CLASS ONLY Interval Yes Interval							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: SF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, N/A Yes No FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes Mo FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes Mo NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS. No When sailing in non-Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No When sailing in Spinnaker class will you ALWAYS use a headsail roller furler? Yes No Does your Roller Furling Headsail meet requirements for Recreational credit? Yes No Does your Roller Furling Mainsaill meet requirements for Recreational credit? Yes No Is your furling mainsail an in-mast or in boom system? IN MAST Yes IN BOOM Yes IN BOOM - +3, IN MAST - +12, IN HEADSAIL - +9 FOR CANVAS CLASS ONLY FOIL DATA FOIL DATA							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, N/A Yes No FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS. When sailing in non-Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No When sailing in Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No When sailing in Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No Does your Roller Furling Headsail meet requirements for Recreational credit? Yes No Does your Roller Furling Mainsaill meet requirements for Recreational credit? Yes No Is your furling mainsail an in-mast or in boom system? IN MAST Yes No IN BOOM - +3, IN MAST - +12, IN HEADSAIL - +9 FOR CANVAS CLASS ONLY FOIL DATA ORC CERTIFICATE Yes ORR RATING CERTIFICATE <t< td=""><td></td></t<>							
DO YOU HAVE A CODE-ZERO SPINNAKER Yes No If yes, ENTER to .01 foot AMG: SLU: SLE: ASF: ASF: IS YOUR ONLY SPINNAKER AN ASYMMETRICAL, NA Yes No FLOWN ONLY FROM THE JIB TACK (NEVER A POLE) NA Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No FLOWN ONLY FROM STANDARD SPINNAKER POLE N/A Yes No NOTE; ROLLER FURLING DEFINITIONS ARE IN OSC 2021 PHRF REGULATIONS. No NO When sailing in non-Spinnaker class will you ALWAYS use a headsail roller-furler? Yes No When sailing in Spinnaker class will you ALWAYS use a headsail roller furler? Yes No Does your Roller Furling Headsail meet requirements for Recreational credit? Yes No Does your Roller Furling Mainsaill meet requirements for Recreational credit? Yes No Is your furling mainsail an in-mast or in boom system? IN MAST Yes No IN BOOM - +3, IN MAST - +12, IN HEADSAIL - +9 FOR CANVAS CLASS ONLY Yes No IN BOOM - +3, IN MAST - +12, IN HEADSAIL - +9 FOR CANVAS CLASS ONLY Yes DATE: Current certificates must be sub							

Page 2 of 3 --- Printed on 4/16/2021

OSC-2021-TEMPTRESS-PHRF-CERT.xlsx

Current certificates must be submitted to OSC handicapper						
	SAIL AND OTHER INFORMATION					
Have you added to or replaced any "RATED" sa CERTIFICATE? Yes No IF YES PLEASE SPECIFY:	ails in your inventory	since your last	rating			
Can your boat power at 80% of hull speed in calm seas? ✓ Yes □ No V(KNTS) = 80%x1.3x square root of water line (feet) List all restoration work, repair or modification (whether performed by you, the previous owners or others) made to your boat since its manufacture. This applies to all work whether it replicates the original design or not. Enter "N/A" if no changes repairs or modifications. ✓ N/A						
Does your boat have a self-bailing cockpit, fixed perths, galley facilities, and the ability to be self supporting for a weekend cruise? Yes No IN WHICH FLEET DO YOU WANT TO BE SCORED: SPINNAKER INON-SPINNAKER INON-SPINNAKER INON-SPINNAKER INON-SPINNAKER INON-SPINNAKER INON-SPINNAKER INON-SPINNAKER						
The following is f	er the headlesanse	to fill in final a				
	or the handicapper		atings.			
BOAT TYPE DESIGN J	15.75	SPINN.	NON-SPINN			
BASE HANDICAP	10.75	45	65			
EXCESS MAINSAIL GIRTH	1	0	0			
EXCESS MAINSAIL FT - ACTUAL E/std E	1	0	0			
LP % OF J	154%	0	0			
POLE FLOWN SPINN. SMW/SPL OR AMG/TPS	180%	0				
DECK STEPPED ASYM SPINN CREDIT TPS/std J	N/A	0				
ASYM SPRIT SPINN ACTUAL AMG/TPS	N/A	0				
MAST ACTUAL "I"/STD. "I"	1	0	0			
	FLD-FTH-2BLD	0	0			
RECREATIONAL CREDITS		0	0			
MISCELANEOUS ABOVE DECK ROLL FURL, ADJUSTMENT:		0	0			
FINAL HANDICAP:	CALCULATED =>	45	65			
OSC Handicappers signature: Paul von	Maffei	Date Issued	4/16/2021	1		
		EXPIRES: 12-31	-2021	-		
COMMENTS FROM THE HANDICAPPER:						

OSC-21-PHRF-APPLICATION