i cos	OFF SOUNDINGS CLUB ANNUAL PHRF 2021 CERTIFICATE DATE ISSUED4/24/21						
F		EXPIRES DE	ECEMBER	31, 2021			
FINAL RATING: SPINNAKER	180	NON- SPINNAKER	174	CLASS			
Please complete in FEET	AND .01 FOOT	THERE IS NO CH	ARGE FOR ANN	UAL PHRF CE	RTIFICATES		
1. COPY THIS FORM TO YOUR COMPUTER FROM THE WEBSITE BEFORE MAKING ANY ENTRIES. 2. When completed, save as OSCboatname21.xls (ex.OSCSnowbird21.xls) and e-mail as an atttachment to; pvm461@yahoo.com 1 METER = 3.280833 FEET							
Submission of sail measurem largest jib and largest spin				· · · · · · · · · · · · · · · · · · ·			
issued. This can	be obtained fro	om your sailmaker a I von Maffei - OSC H	nd forwarded to	OSC Handicap			
If this is a new	w boat design p	lease attach profile/pl	an/sailplan drawir	ngs (jpg or pdf).			
Please name the file b	oatname.jpg (d.jpg) when you e	e-mail it to me, th	nank you.		
BOAT NAME	-			SAIL NO.	6		
	Nonsuch 33			DATE BUILT			
	Hinterholder				ZHYN5006J7	788	
DESIGNER							
OWNER'S NAME		cale					
	839 Donna D						
CITY, STATE, ZIP CODE	Orange, CT ()6477					
	Indian Neck `						
EVENING PHONE #			CELLPHONE	203-671-2420			
DAYTIME PHONE #			FAX				
E-MAIL ADDRESS	bathworksinc	@gmail.com			_		
ANY PREVIOUS HANDICAP #	REGION			PHRF #/DATE	2018		
PREVIOUS ECSA PHRF #	174		PREVIOU	IS OSC PHRF#	174		
ECSA MEMBER ? 🗌 Yes 🗹 No	US SAILING	MEMBER # (IF YO	U ARE A MEMBE	ER)			
From time to time we may make owners vachting related subjects. If you DO NC			•	te information on			
	yachting related subjects. If you DO NOT wish to receive such information, please check here: General BOAT Dimensions						
Please describe your boat.	Check appr					r	
Please describe your boat.Propeller:Exposed:Propeller TypeFold/feath:		opriate descripti In Aperture: Autoprop:		Retracted: Solid:			

Keel Material:	Lead:	Х	Iron:		Other:
Rudder type:	Attached:		Spade	Х	Skeg:
Engine:	Inboard:	Х	Outboard:		None:
Keel Type:	Fin:	Х	Full:		K/C Board:
Mast Material:	Aluminum:	Х	Wood:		Crb-Fiber:
Spinnaker Pole:	None:		Traditional:		Sprit:
Do you want a Sp	innaker Handica	ар	YES	NO 🗸	

MUST HAVE	Α	SPINNAKER	FOR	YES	ANSWEF	ł
-----------	---	------------------	-----	-----	--------	---

Unless standard for a class, unpenalized mainsail girth shall be limited as follows:

MGT (7/8 leech) shall not exceed .22E

MGU (3/4 leech) shall not exceed .38E

MGM (1/2 leech) shall not exceed .65E

MGL (1/4 leech) shall not exceed .87 E

Headboard shall not exceed the greater of 0.04E or 0.5 feet

Mainsails exceeding these dimensions must be declared, and will be penalized on an individual basis.

Do your mainsail Girth dimensions exceed limits stated above and or exceed your class mainsail

Girths?	Yes	1	No
---------	-----	---	----

If yes, Please provide mainsail dimension below.



RIG AND SAIL DIMENSIONS

Overall hull length	LOA	33.00	DRAFT	5.50
Foretriangle base	1	0.00	BALLAST	6050
Boat J dimension	J	0.00	WPL	0.00
Boat P dimension main hoist	Р	50.50	TPS	N/A
Banded main foot length E	E	26.50	PY	0.00
Displacement in pounds	Disp.	15350	EY	0.00
Length waterline	LWL	31.60	SPL	0.00
Maximum beam	Beam	12.50	ISP	0.00

LARGEST HEADSAIL USED (LP TO NEAREST .01FT)

0.00

LARGEST SYMMETRIC SPINNAK	ER	GIRTH:	N/A	SAIL LUFF:	N/A
AREA SQUARE FEET				SAIL FOOT:	
LARGEST ASYMMETRIC SPINNA	KER	AMG:	N/A	SLU:	N/A

DO YOU HAVE A CODE-ZERO SPIN	INAKER Yes	✓ No			
If yes, ENTER	to .01 foot	AMG:		SLU:	
		SLE:		ASF:	
IS YOUR ONLY SPINNAKER AN AS	YMMETRICAL,				
FLOWN ONLY FROM THE JIB TAG	· · · · · · · · · · · · · · · · · · ·	✓ N/A	Yes	No No	
FLOWN ONLY FROM STANDARD	SPINNAKER POLE	✓ N/A	Yes	No No	
FLOWN ONLY FROM SPRIT		✓ N/A	Yes	No	
NOTE; ROLLER FURLING DEFINITION					
When sailing in non-Spinnaker clas	s will you ALWAYS us	se a headsail rol	ler-furler?	Yes	✓ No
When sailing in Spinnaker class wi	II you ALWAYS use a l	headsail roller fu	urler?	Yes 🗸 N	0
R	ECREATIONAL CRED	ITS REA	D OSC 2021 P	HRF REGULA	TIONS
Does your Roller Furling Headsail n	neet requirements for	Recreational cr	edit?	🗌 Yes 🛛 🗸 N	No
Does your Roller Furling Mainsaill r	neet requirements for	Recreational cr	edit?	🗌 Yes 🛛 🗸 M	No
Is your furling mainsail an in-mast of	or in boom system?		Yes IN	BOOM	Yes
IN BOOM - +3, IN MAST - +12, IN HI	EADSAIL - +9	FOR	CANVAS CLA	ASS ONLY	
F	OIL DATA				
ORC CERTIFICATE Yes	ORR RAT	ING CERTIFICA	TE 🗌 Yes	DATE:	
Current certificates must be submit	tted to OSC handicapp	per			
V	VATER BALLAST DAT	A			
ORC CERTIFICATE	ORR RAT	ING CERTI <u>FICA</u>	TE 🗌 Yes	DATE:	
WATER VOLUME GALLONS	CREW LII	MITS			

Page 2 of 3 --- Printed on 4/24/2021

Current certificates must be submitted to OSC handicapper						
SAIL AND OTHER INFORMATION						
Have you added to or replaced any "RATED" sa CERTIFICATE? ☐ Yes ✓ No IF YES PLEASE SPECIFY:	ails in your inventory	/ since your last	rating			
Can your boat power at 80%of hull speed in ca V(KNTS) = 80%x1.3x square root of water line (Yes 🗌 No				
List all restoration work, repair or modificat owners or others) made to your boat since whether it replicates the original design or Enter "N/A" if no changes repairs or modif	its manufacture. not.	This applies to				
Does your boat have a self-bailing cockpit, fixe to be self supporting for a weekend cruise?	d perths, galley facil	lities, and the abi	lity			
IN WHICH FLEET DO YOU WANT TO BE SCOR SPINNAKER		ION-SPINNAKER				
I HEREBY ACKNOWLEDGE AND AGREE THAT			RECT AND			
VERIFIABLE ANY TIME BY THE OFF SOUNDIN	<u>GS CLUB HANDICA</u>	<u>PPER</u>	✓ I AGRE	E		
The following is f	or the handicappe	r to fill in final r	atings.			
BOAT TYPE	NONSUCH 33					
DESIGN J		SPINN.	NON-SPINN			
BASE HANDICAP		180	174			
EXCESS MAINSAIL GIRTH		0	0			
EXCESS MAINSAIL FT - ACTUAL E/std E		0	0			
LP % OF J		0	0			
POLE FLOWN SPINN. SMW/SPL OR AMG/TPS		0				
DECK STEPPED ASYM SPINN CREDIT TPS/std J		0				
ASYM SPRIT SPINN ACTUAL AMG/TPS		0				
MAST ACTUAL "I"/STD. "I"		0	0			
PROPELLER		0	0			
RECREATIONAL CREDITS		0	0			
MISCELANEOUS		0	0			
ABOVE DECK ROLL FURL. ADJUSTMENT:		0	0			
FINAL HANDICAP:	CALCULATED =>	180	174			
OSC Handicappers signature: Paul von	Maffei	Date Issued	4/24/	/21		
		EXPIRES: 12-31	-2021			

COMMENTS FROM THE HANDICAPPER:

OSC-21-PHRF-APPLICATION

_